

McGuireWoods LLP
1750 Tysons Boulevard
Suite 1800
McLean, VA, 22102-4215
Phone: 703.712.5000
Fax: 703.712.5050
www.mcguirewoods.com

Hae-Chan Park
Direct: 703.712.5365

McGUIREWOODS



hpark@mcguirewoods.com
Direct Fax: 703.712.5280

April 10, 2003

Assistant Commissioner for Patents
Washington, DC 20231

RE: U.S. Patent Application No. 09/940,429
Filed: August 29, 2001
**CONTROL SIGNAL PART AND LIQUID CRYSTAL DISPLAY INCLUDING THE
CONTROL SIGN**
Inventor: Kung-Ha MOON, et al.
Our Ref: 6192.0160.AA

Sir:

The following documents are forwarded herewith for appropriate action by the U.S.
Patent and Trademark Office:

1. A Transmittal Letter;
2. Response to Election/Restriction Requirement;
3. Two Acknowledgement postcards.

It is respectfully requested that the attached copy of the postcard be stamped with the
filing date of these documents and returned to our courier.

The U.S. Patent and Trademark Office is hereby authorized to charge any fee
deficiency, or credit any overpayment, to our Deposit Account No. 23-1951 referencing docket
number 6192.0160.AA.

Respectfully submitted,


Hae-Chan Park
Reg. No. 50,114

HCP/kbs
Enclosures

RECEIVED
APR 15 2003
TECHNOLOGY CENTER 2800



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of

Docket No.: 6192.0160.AA

Kung-Ha MOON, *et al.*

Group Art Unit: 2871

Serial No.: 09/940,429

Examiner: CHUNG, David Y.

Confirmation No.: 7061

Filed: August 29, 2001

For: **CONTROL SIGNAL PART AND LIQUID CRYSTAL DISPLAY INCLUDING THE CONTROL SIGN**

Commissioner of Patents and Trademarks
Washington, DC 20231

#6
Shang
4-17-03
RECEIVED
TECHNOLOGY CENTER 2800G
APR 15 2003

RESPONSE TO ELECTION/RESTRICTION REQUIREMENT

Sir:

In response to the Restriction Requirement mailed March 19, 2003, Applicants elect to prosecute Claims 12-37, drawn to a liquid crystal display device having a control signal part with a first signal wire and a second signal wire. This provisional election is made with traverse. Applicants reserve the right to file a divisional application on the non-elected invention at a later time.

MPEP § 806.04(d) states that "A generic claim should read on each of the species. Further a generic claim must comprehend within its confines the organization covered in each of the species. In addition, a generic claim should include no material element additional to those recited in the species claims." In the pending application, claim 1 and 12 satisfy the above criteria. Therefore, it is respectfully submitted that claim 1 and 12 are generic.


The present application is directed to forming a redundant wire to prevent close proximity between a high voltage line and a low voltage line from deteriorating each other due to

Applicants: Kung-Ha MCOON, *et al.*
Application No.: 09/940,429

electrolysis. The specification discloses varieties of structures to implement such features of invention.

It is not believed that any extensions of time or fees are required. However, if an extension of time is necessary to prevent abandonment of this application, then such extensions of time are hereby petitioned under 37 C.F.R. §1.136, and any fees required therefore are hereby authorized to be charged to our Deposit Account No. 23-1951.

Respectfully submitted,



Hae-Chan Park
Reg. No. 50,114

Dated: April 9, 2003

McGuire Woods LLP
1750 Tysons Boulevard, Suite 1800
McLean, VA 22102-4215
Telephone: 703-712-5365
Fax: 703-712-5280

\\COM\194008.1